

Sending your first campaign

Once you have composed your HTML message, you are ready to move through the tabs (highlighted in red below) which will guide you through the process of sending your first mail.

Send a campaign

<

1
Content

2
Format

3
Attach

4
Scheduling

5
Lists

6
Finish

>

Content

Campaign subject ?

phplist 3.4.0 released: new rest API, campaign template, security update

From line ?

info@phplist.com phpList

Content ?

☐ Send a webpage ☒ Compose message

Compose message ?

Source | [Icons]

[B I U S x₂ x²] [Text tools] [List tools] [Quote tools] [Align tools] [Link tools] [Media tools]

[Styles] [Format] [Font] [Size] [A- A+] [More]

phpList 3.4.0 is a significant update that incorporates many changes, including jQuery security updates for phpList 3, a new campaign template, and the introduction of the new REST API powered by phpList 4. See the release notes for the [full list of changes](#).

Use the 'Updater' link from your dashboard to get it, or see the [Download page](#) for full installation and upgrade instructions.

Format

If you have a template set up already then the **Format** gives you the opportunity to choose it by selecting it from the **Use template** drop down. Your HTML message will then be wrapped in the template during the sending phase.

You can send a test message using the **Send test** box at the bottom of the page, to see what your email will look like.

Click **next** when you have selected your template. If you do not yet have a template, leave the --**select one** in the dropdown and click **next**.


Send a campaign




1
Content

2
Format

Format

Send as  HTML ☒ Text ☐

Use template 

-- select one ▼

Save as draft

Save and continue editing

Schedule your campaign

After your tests you need to schedule your campaign should now be on tab **3: Scheduling**. Remember, some plugins and settings add extra tabs, so the tab number may change (but the name should stay the same).

In this case we want to send the mail straight away, so the **Embargoed until** time needs to be left as the default, which is slightly in the past.

Additionally, because this campaign is not time sensitive, for example there is no deadline for the special offer, we can leave the **Stop sending after** time and date as the default too (far in the future).

When you have finished entering the scheduling information, click **next**.

Send a campaign



1
Content

2
Format

3
Attach

4
Scheduling

5
Lists

Scheduling

Dates and times are relative to the Server Time
Current Server Time is 2019-06-11 14:37

Embargoed until ?

20 ▼ March ▼ 2019 ▼ 12 ▼ 00 ▼

Stop sending after ?

20 ▼ March ▼ 2019 ▼ 20 ▼ 00 ▼

Requeue every ?

-- Do not requeue ▼

Requeue until

21 ▼ March ▼ 2019 ▼ 12 ▼ 00 ▼

Select your lists

One of the final stages in the campaign workflow is to choose the list(s). In this case there is only one list to choose from, which is **T**. The options for **All Lists** and **All Active Lists** are also useful; the former sends to every list, public or private, and the latter sends to all public lists.

Remember that phpList will only send each subscriber one copy of each campaign, even if they are on several lists: you don't need to worry about sending people duplicate copies.

Send a campaign

<

1
Content

2
Format

3
Attach

4
Scheduling

5
Lists

6
Finish

>

Lists

← →

Please select the lists you want to send your campaign to:

@

☐ All Lists

☐ All Public Lists

☒ phpList newsletter **Private list**

Save as draft

Save and continue editing

Once you have chosen your lists click **Next**

Sending your campaign

Sending in phpList is a powerful tool with many possible configurations. It is possible that your system administrator will give you different instructions for sending or will send on your behalf.

The final tab in the sequence contains a few useful details and the button which triggers sending.

First you can choose some emails that you wish to alert when your campaign starts sending and finishes sending. This can help you stay organized.

You can also choose to **Reset click statistics** - this means that any clicks or opens recorded when you were testing your campaign will be forgotten, so when you get new clicks and opens you know they are from your subscribers.

Finish

Email to alert when sending of this message starts
Separate multiple with a comma

info@phplist.com

Email address to alert when sending of this campaign has finished
Separate multiple with a comma

info@phplist.com

? Add Google Analytics tracking code ☐

? Reset click statistics ☒

? This is a test campaign ☐

Place Campaign in Queue for Sending

Save as draft

Save and continue editing

When you are ready to send, click **send campaign**.

Process your queue

Clicking **send** will add your campaign to your **queue**. There may be only one campaign in the queue, or there may be several. Click **process queue to** send the campaign now.



Send a campaign

Campaign added


Campaign queued

Process queue

You will see the queue start to process, with a spinning phpList logo.

Next you will see something like the image below, depending on how your system is configured.

Do not close your browser window until the process is complete, unless your system administrator tells you otherwise.



All done?

When your queue has finished processing you should see the following screen:

Send the queue

Processing queued campaigns

Resume processing

All done

Depending on your configuration and list size, you may need to refresh the screen and click resume processing a few times until the process is complete.

Feedback

Discuss this chapter here.

Revision #9

Created 28 May 2019 11:59:55 by mariana

Updated 24 May 2021 10:09:49 by mariana